



RS-PT11

UHF RFID Ucode 8 Label



RS-PT11 UHF RFID Ucode 8 Label

This label is compatible with EPC Class1 Gen2 (ISO18000-6C) standard, operating frequency is 860~960MHz. Each tag has a unique ID and stores user data. It is designed for apparel management, logistics management, assets management, etc.



Specification

Physical Features		
Label Size	73x20mm	
Label Material	Coated Paper/PET/Fragile Paper	
Working Temp	-40~+85℃	
Storage Temp	-40~+85℃	

RFID Features	
RFID Standard	ISO/IEC 18000-6C (EPC C1G2)
Chip Type	NXP Ucode 8
EPC Memory	128 bit
TID Memory	96 bit
Read Range (2W ERP FCC)	16m

73.00 mm


	Other Features
Data Storage	> 10 years
Re-write	100,000 times
Customization	Printing LOGO, Barcode, Serial number, Encoding, Designing, etc
Application	 Apparel management
	 Logistics management
	 Document management
	 Assets management, etc.




RS-PT11


UHF RFID Ucode 8 Label

Read Range(2W ERP)





Application











RuiSing Technology Company (Hong Kong) Limited









HONGKONG Unit D16/F, One Capital Place, 18 Luard Road, Wan Chai



SHENZHEN 9/F, Xinjing Mansion, Xinqu Blvd, Longhua District

